



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231 www.uspto.gov

			•		
APPLICATION NO. FILING DATE		FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/302,762	04/30/1999	ASHOK N. RUDRAPATNA	113349	7375	
5	7590 04/07/2003				
S H DWORETSKY AT & T CORP P O BOX 4110			EXAMINER		
			DUONG, FRANK		
MIDDLETOWN, NJ 07748			ART UNIT	PAPER NUMBER	
			2666		
			DATE MAILED: 04/07/2003		

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application	on No.	Applicant(s)		
		09/302,76	09/302,762		RUDRAPATNA, ASHOK N.	
	Office Action Summary	Examiner		Art Unit		
	· ·	Frank Du	ong	2666	1×0	
	The MAILING DATE of this communicati	1	•		nddress	
Period fo	• •					
THE I - Exter after - If the - If NO - Failu - Any r	ORTENED STATUTORY PERIOD FOR MAILING DATE OF THIS COMMUNICAT asions of time may be available under the provisions of 37 SIX (6) MONTHS from the mailing date of this communicate period for reply specified above is less than thirty (30) day a period for reply is specified above, the maximum statutory re to reply within the set or extended period for reply will, be eply received by the Office later than three months after the department of the patent term adjustment. See 37 CFR 1.704(b).	TION. CFR 1.136(a). In no eve ation. ys, a reply within the statu y period will apply and wi by statute. cause the appl	ent, however, may a reply but story minimum of thirty (30) Il expire SIX (6) MONTHS for ication to become ABANDC	e timely filed days will be considered tim rom the mailing date of this	ely. communication.	
1)⊠	Responsive to communication(s) filed of	on <u>15 January 200</u>	<u>03</u> .			
2a)⊠	This action is FINAL . 2b)[☐ This action is	non-final.			
3)□ Dispositi	Since this application is in condition for closed in accordance with the practice on of Claims	allowance except under <i>Ex parte</i> Q	t for formal matters, uayle, 1935 C.D. 11	prosecution as to to 1, 453 O.G. 213.	the merits is	
4) 🖾	Claim(s) $\underline{1-25}$ is/are pending in the appl	lication.				
	4a) Of the above claim(s) is/are w	rithdrawn from cor	nsideration.			
5)	Claim(s) is/are allowed.					
6)⊠	Claim(s) 1-5,7 and 10-21 is/are rejected.					
7) 🖂	Claim(s) 6,8,9 and 22-25 is/are objected	I to.				
8)□	Claim(s) are subject to restriction	and/or election re	equirement.			
Applicati	on Papers					
9) 🗌 -	The specification is objected to by the ${\sf Ex}$	aminer.				
10)🖾 -	Γhe drawing(s) filed on <u>18 November 199</u>	<u>99</u> is/are: a) <u>□</u> acc	epted or b)⊠ objecte	ed to by the Examin	er.	
	Applicant may not request that any objection			• •		
11) 🔲 -	The proposed drawing correction filed on			proved by the Exami	ner.	
_	If approved, corrected drawings are require	i i	ice action.			
12)1	Γhe oath or declaration is objected to by t	the Examiner.				
Priority u	nder 35 U.S.C. §§ 119 and 120					
13)	Acknowledgment is made of a claim for t	foreign priority un	der 35 U.S.C. § 119	9(a)-(d) or (f).		
a)[☐ All b)☐ Some * c)☐ None of:					
	1. Certified copies of the priority docu	uments have beer	n received.			
	2. Certified copies of the priority docu	uments have beer	n received in Applic	ation No		
	 Copies of the certified copies of th application from the Internation ee the attached detailed Office action for 	nal Bureau (PCT I	Rule 17.2(a)).		l Stage	
14)∐ A	cknowledgment is made of a claim for do	omestic priority un	der 35 U.S.C. § 11	9(e) (to a provisiona	al application).	
	☐ The translation of the foreign language the common translation of the foreign language that the common translation is made of a claim for do					
Attachment	(s)					
2) Notice 3) Inform	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-9- nation Disclosure Statement(s) (PTO-1449) Paper N			ary (PTO-413) Paper No al Patent Application (P		
S. Patent and Tra TO-326 (Rev		ffice Action Summar	v	Part	of Paper No. 7	

Art Unit: 2666

DETAILED ACTION

1. This Office Action is a response to the communication dated 01/15/2003. Claims 1-25 are pending in the application.

Drawings

2. The drawings are objected to because there is an inconsistency in the drawings. The inconsistency is that the original drawings filed 04/30/1999 missing figure 3 and the formal drawings, accompanied the Letter to the Official Draftperson, filed 11/22/1999 missing figure 4. In the above formal drawings, figures 1-2 are corresponding to Figures 1-2 of the original drawings. However, figure 4 of the original drawings is somehow become figure 3 of the above formal drawings. In the specification, page 12, line 14 and thereinafter, it is described figure 3 of the original drawings, not figure 3 of the formal drawings. Thus, Applicant is required to correct the above inconsistency in the drawings.

A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the

Page 2

Art Unit: 2666

applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

3. Claims 1-5 and 10-21 are rejected under 35 U.S.C. 102(e) as being anticipated by Sherman (USP 5,878,037).

In according to Figures 1-6 and the description at col. 3, line 22 to col. 8, line 41, Sherman discloses a satellite communication system (*Figure 1*) which implements code division switching at an intermediate frequency range using both narrowband user traffic codes and wideband cover codes to improve beam processing. The on-board switching of Sherman's invention is performed on an individual beam basis, rather than on the individual user signal basis of conventional switching methods. As a result, on-board equipment as well as costs can be greatly reduced. The recitation thereat reads on the claimed communication system as corresponding below.

Regarding claim 1, the claim calls for a communication system (Figure 1) comprising:

transmission equipment (corresponding to figure 1, elements 104) that is assigned to a particular origination path (corresponding to figure 2, User Data having traffic code T(N) and cover code C(N) associated with a particular Uplink Beam Signal N or just Uplink Beam Signal N), encodes (corresponding to figure 2, Mixers 202 and 204) user signals (figure 2, User Data) originating at or near the transmission equipment based on the origination path (Uplink Beam Signal N) and a particular destination path (Downlink Beam Signal N), and transmits (corresponding to figure 2, elements 206 and 208) the encoded user signals (corresponding to Wideband Signals) on the particular

Art Unit: 2666

origination path (note: in reference to figure 1 and the description at col. 3, lines 62-64, Sherman discloses communications system 100 comprises satellite 102 and a multitude of users 104. In reference to figure 2 and the description at col. 4, lines 50-67, Sherman discloses user equipment comprising, among other things, a Mixer 202 acts as a modulator by mixing the user data with a narrowband traffic code T(i) and a Mixer 204 acts as a spreader by mixing the narrowband signal generated by Mixer 202 with a wideband spreading cover code C(j) to generate a wideband signal. At col. 5, lines 1-4, Sherman further discloses upconverter, in user equipment 104, upconverts the wideband signal from IF to an appropriate RF range for transmission by antenna 208 to satellite 102 of figure 1 within one of the uplink signal beams);

switching equipment (corresponding to figures 1 and 3, element 102) that receives (corresponding to figure 3, element 302) the encoded user signals on the particular origination path, routes (corresponding to figure 3, outputs of element 302) the encoded user signals at a path level (corresponding to beam level), and transmits (corresponding to figure 3, element 304) the encoded user signals on the particular destination path (corresponding to Downlink Beam N) (note: in reference to figures 3-5 and the description at col. 5, line 50 to col. 7, line 53, Sherman discloses the block diagram of the switching processing implemented by the satellite 102 of figure 1. Satellite 102 comprises, among other things, an uplink processor 302 and downlink processor 304. Uplink processor 302 receives all of the user signals in the corresponding uplink signal beams and processes those signals to direct them to the appropriate downlink signal beams. The uplink processing involves downconverting the

Art Unit: 2666

received RF signals to IF, removing the cover code for each uplink signal beam to reveal the underlying narrowband user signals, and filtering the narrowband user signals to isolate and route particular user signals to particular downlink processors. On the other hand, the downlink processor 304 receives the narrowband user signals from the various uplink processors 302 and processes those user signals for transmission in the corresponding downlink signal beam to include summing all of the user signals for the particular downlink signal beam; reapplying an appropriate cover code to the summed signals to generate a wideband signal uniquely associated with the particular downlink signal beam; and upconverting the wideband signal from IF to RF for transmission. In doing so, at col. 3, lines 49-52, the on-board switching is performed on a beam level, rather than on the individual user signal level as the conventional switching methods); and

reception equipment (corresponding to figure 6, element 104) that is assigned to the particular destination path (corresponding to figure 3, Downlink Beam N or figure 6, RF signal From Satellite), receives (corresponding to figure 6, element 602) the encoded user signals on the particular destination path (Downlink Beam N), and decodes (corresponding to figure 6, element 604) the user signals (note: in reference to figure 6 and the description at col. 7, line 54 to col. 8, line 14, Sherman discloses a block diagram of the downlink processing implemented by each user 104 of figure 1. Each user 104 comprises, among other things, downconverter 602, mixer 604 for receiving, downconverting and decoding a particular user signal based on the encoded

Art Unit: 2666

wideband cover code and narrowband traffic code to distinguish between individual downlink signal beams and individual user signals within a downlink signal beam).

Thus, Sherman discloses the claimed invention in a manner set forth as claimed.

Regarding claim 2, in addition to the features of the base claim 1 (see rationales pertaining the rejection of base claim 1 discussed above), the claim calls for wherein the particular origination path is a particular origination beam (corresponding to figure 3, Uplink Signal Beam N) and the particular destination path is a particular destination beam (corresponding to figure 3, Downlink Beam N) and the switching equipment (corresponding to figure 3, element 102) routes the encoded user signals at a beam level (note: at col. 5, lines 63-64, in reference to figure 3, Sherman discloses the uplink processing involves, among other things, routing particular user signals to particular downlink processors. At col. 3, lines 49-52, the on-board switching is performed on a beam level, rather than on the individual user signal level as the conventional switching methods).

Thus, the recitation thereat reads on the claimed limitations in a manner set forth as claimed.

Regarding claim 3, in addition to the features of the base claim 1 (see rationales pertaining the rejection of base claim 1 discussed above), the claim calls for wherein the switching equipment is located on a satellite and the transmitting and reception equipment are ground-based (see col. 3, lines 38-47).

Regarding claim 4, in addition to the features of the base claim 1 (see rationales pertaining the rejection of base claim 1 discussed above), the claim calls for wherein the

Art Unit: 2666

transmission equipment is assigned to a particular origination path based on geographic location (corresponding to Coverage Area N). (see col. 4, lines 22-24).

Regarding claim 5, in addition to the features of the base claim 1 (see rationales pertaining the rejection of base claim 1 discussed above), the claim calls for wherein the reception equipment is assigned to a particular destination path based on geographic location (corresponding to Coverage Area N) (see col. 4, lines 26-28).

Regarding claim 10, in addition to the features of the base claim 1 (see rationales pertaining the rejection of base claim 1 discussed above), the claim calls for wherein the switching equipment determines to which destination path an encoded user signal is destined (note: at col. 5, lines 50-64, Sherman discloses the uplink processor 302, in satellite 102, performs processing, among other functions, to include routing particular user signals to particular downlink processors. At col. 6, lines 7-9, Sherman further discloses satellite 102 acts as a signal relay that performs the switching function that directs each received user signal to the appropriate destination).

Regarding claim 11, in addition to the features of the base claim 1 (see rationales pertaining the rejection of base claim 1 discussed above), the claim calls for wherein the switching equipment is located on satellite (see figure 3, col. 5, lines 50-52);

the transmission equipment encodes user signals and transmits the encoded user signals to the satellite via the origination path (see figure 2, col. 5, lines 5-20);

the reception equipment receives the encoded user signals from the switching equipment on the satellite via the destination path (see *figure 6, col. 7, line 54 to col. 8, line 14*).

Art Unit: 2666

Regarding claim 12, in addition to the features of the base claim 1 (see rationales pertaining the rejection of base claim 1 discussed above), the claim calls for wherein the transmission equipment encodes user signals from a plurality of users and transmits the encoded user signals to a satellite via the origination path (see figure 3, col. 5, line 50 to col. 6, line 9).

Regarding claim 13, in addition to the features of the base claim 1 (see rationales pertaining the rejection of base claim 1 discussed above), the claim calls for where the reception equipment receives the encoded user signals from the switching equipment on the satellite via the destination path, decodes the encoded user signals, and distributes the decoded user signals to at least one receiving user (see figure 6, col. 7, line 54 to col. 8, line 14).

Regarding claim 14, in addition to the features of the base claim 1 (see rationales pertaining the rejection of base claim 1 discussed above), the claim calls for wherein routing information (corresponding to reapplied cover code, col. 6, line 3) is encoded in the user signals transmitted by the transmission equipment (see figure 3, col. 5, line 65 to col. 6, line 9, wherein Sherman discloses the downlink processor 304 receives the narrowband user signals form various uplink processors 302 and processes those users signals involving, among other functions, reapplying an appropriate cover code to the summed signals to generate a wideband signal uniquely associated with the particular downlink signal beam for transmitting to the appropriate destination).

Regarding claim 15, in addition to the features of the base claim 1 (see rationales pertaining the rejection of base claim 1 discussed above), the claim calls for wherein the

Art Unit: 2666

switching equipment uses the routing information (corresponding to cover code) to route the encoded user signals to the destination path (see figure 3, col. 5,lines 50-64, wherein Sherman discloses uplink processor 302 receives all of the user signals in the corresponding uplink beam and processes those signals involving, among other functions, removing the cover code for each uplink signal beam, filtering to isolate and route particular user signals to particular downlink processors for processing and transmitting to the appropriate destination).

Regarding claim 16, in addition to the features of the base claim 1 (see rationales pertaining the rejection of base claim 1 discussed above), the claim calls for wherein the transmitting and reception equipment use a spread spectrum technique to transmit the encoded user signals (see col. 3, lines 38-47).

Regarding claim 17, in addition to the features of the base claim 1 (see rationales pertaining the rejection of base claim 1 discussed above), the claim calls for wherein the switching equipment determines the origination path and destination path of an encoded user signal based on unique path-specific information (see col. 3, lines 49-54 and figure 3, col. 5, lines 55-64).

Regarding claim 18, the claim calls for a communication method (see figures 1-6, col. 3, line 21 to col. 8, line 14) comprising:

assigning transmission equipment (corresponding to figure 2, user 104, col. 3, lines 65-66) to a particular origination path (corresponding to figure 2, User Data having traffic code T(n) and cover code C(n) associated with a particular Uplink Beam Signal N) (see figure 2);

Art Unit: 2666

encoding (corresponding to Mixers 202 and 204) user signals (figure 2, User Data) based on the origination path (corresponding to narrowband traffic code T(i)) and a particular destination path (corresponding to wideband spreading cover code C(j)) (see figure 2, col. 4, lines 50-67);

transmitting (corresponding to upconverter 206 and antenna 208) the encoded, user signals (figure 2, Wideband Signals) on the particular origination path (see figure 2, col. 5, lines 2-4);

receiving (corresponding to uplink processor 302) the encoded, user signals on the particular origination path (see figures 3-4, col. 5, line 55 to col. 6, line 49);

routing (see figure 3, col. 5, lines 59-64) the encoded, user signals at a path level (corresponding to beam basis, col. 3, lines 49-54);

transmitting (corresponding to downlink processor 304) the encoded, user signals on the particular destination path (see figures 3 and 5, col. 6, lines 50-67);

receiving (corresponding to downconverter 602) the encoded, user signals on the particular destination path (see figure 6, col. 7, line 66 to col. 8, line 6); and

decoding (corresponding to Mixer 604) the encoded, user signals (see figure 6, col. 8, lines 7-14).

Regarding claim 19, in addition to the features of the base claim 18 (see rationales pertaining the rejection of base claim 18 discussed above), the claim calls for wherein the particular origination path (corresponding to User Data having traffic code T(N) and cover code C(N) at the originating end) is an origination beam (corresponding to Uplink Signal Beam N) and the particular destination path (corresponding to User

Data having traffic code T(N) and cover code C(N) at the receiving end) is a destination beam (corresponding to Downlink Signal Beam N) (see col. 4, lines 22-29).

Regarding claim 20, in addition to the features of the base claim 19 (see rationales pertaining the rejection of base claim 19 discussed above), the claim calls for wherein routing (see figures 3-5, col. 5, line 50 to col. 6, line 67) is performed based on beam code (corresponding to cover code C(N)) encoded in the encoded, user signals (corresponding to Wideband Signals).

Regarding claim 21, in addition to the features of the base claim 20 (see rationales pertaining the rejection of base claim 20 discussed above), the claim calls for wherein encoding the encoded, user signals encodes the user signals with beam codes (corresponding to traffic codes T(N) at the originating end 104) associated with the particular origination beam (corresponding to Uplink Signal Beam N) and beam codes (corresponding to cover codes C(N) at the originating end 104) associated with the particular destination beam (corresponding to Downlink Signal Beam N) (see figure 2, col. 4, line 44 to col. 5, line 49).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claim 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over Sherman.

Art Unit: 2666

Regarding claim 7, in addition to the features of the base claim 1 (see rationales pertaining the rejection of base claim 1 discussed above), the claim calls for wherein the origination or reception equipment is mobile. Sherman fails to explicitly disclose wherein the origination or reception equipment is mobile. However, at col. 6, lines 7-8, Sherman discloses the communications system 100 may support telephone communications between users 104, and at col. 8, lines 39-40, Sherman also discloses the present invention can be applied to wireless network that uses spread spectrum technology.

It would have been obvious to those skilled in the art at the time of the invention was made to replace Sherman's origination or reception equipment with a mobile unit to arrive the claimed invention with a motivation to provide user with the mobility the wireless network that uses spread spectrum technology.

Allowable Subject Matter

5. Claims 6, 8-9 and 22-25 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

On-board processing/switching equipment, routing encoded, user signals on a beam level, that has a controller dynamically re-routes the encoded user signals received from the originating ends to a conventional on-board processing/switching equipment that processes and re-routes encoded, user signals at a user level, in the event that the beam number of origination and destination satellite beams exceed the

number of system users by a predetermined threshold causing a predetermined system condition to occur, is deemed to be novel.

6. The following is a statement of reasons for the indication of allowable subject matter:

The prior art of record, considered individually or in combination, fails to fairly show or suggest the claimed communication system/method comprises the claimed elements/steps functionally and structurally interconnected in a manner set forth as claimed in base claims 1 and 18 and further comprises a controller/re-routing step that dynamically re-routes the encoded user signals received from the originating ends to a conventional on-board processing/switching equipment that processes and re-route encoded, user signals at a user level, in the event that the beam number of origination and destination satellite beams exceed the number of system users by a predetermined threshold causing a predetermined system condition to occur in a manner set forth as claimed in the independent claims 8, 8-9 and 22-25.

Response to Arguments

7. Applicant's arguments filed 01/15/2003 have been fully considered but they are not persuasive. Applicant's argument will be addressed hereinbelow in the order in which they appear in the response filed 01/15/2003.

In the outstanding response, pertaining the objection of the drawings, Applicant fails to submit the proposed drawing correction. Thus, the objection of the drawing is maintained.

Art Unit: 2666

In the outstanding response, on pages 2-3, pertaining the rejection of claims 1 and 18, Applicant alleges "Sherman fails to teach, disclose, or suggest a communication system at least including, inter alia, transmission equipment that encodes user signals originating at or near the transmission equipment <u>based on the origination path and a particular destination path</u>, as recited in the context of independent claim 1. Additionally, ... claim 18".

In response Examiner respectfully disagrees and content that the Office Action has clearly pointed out the claimed limitations as recited in the context of independent claims 1 and 18.

Examiner believes an earnest attempt has been made in addressing all of Applicant's arguments. The rejection from the last Office Action is maintained.

Conclusion

8. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

Art Unit: 2666

the advisory action. In no event, however, will the statutory period for reply expire later

than SIX MONTHS from the mailing date of this final action.

9. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Frank Duong whose telephone number is (703) 308-

5428. The examiner can normally be reached on 7:00AM-3:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Seema Rao can be reached on (703) 308-5463. The fax phone numbers

for the organization where this application or proceeding is assigned are (703) 872-9314

for regular communications and (703) 872-9314 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or

proceeding should be directed to the receptionist whose telephone number is (703) 305-

4700.

Frank Duong March 27, 2003 Seema S. Rao SPE AU-2666 Page 15

Seema S. Rao SEEMA S. RAO 4/4/03

SUPERVISORY PATENT EXAMINER

TECHNOLOGY CENTER 2600